





REPUBLIKA SLOVENIJA  
MINISTRSTVO ZA INFRASTRUKTURO  
DIREKCIJA REPUBLIKE SLOVENIJE ZA  
INFRASTRUKTURO

**DARS**

Data center  
[www.promet.si](http://www.promet.si)

# B2B data sharing



**REALIS**  
INFORMACIJSKE TEHNOLOGIJE

© 2017-2020 DARS d.d.

© 2007-2020 Realis RMap Infrastructure

*Document contains a specification for available online data for traffic contents (traffic events and others), served from the [www.promet.si](http://www.promet.si) data center service.*

## Table of Contents

<b>B2B data sharing</b> .....	<b>5</b>
Traffic Data .....	5
Registration .....	5
<b>Login and using tokens</b> .....	<b>6</b>
Required login data .....	6
Login .....	6
Refreshing.....	6
<b>Available contents</b> .....	<b>8</b>
Traffic events .....	8
Traffic report .....	9
Traffic cams .....	9
Traffic counters.....	10
Burja wind.....	10
Traffic calendar.....	10
Border crossing delays.....	11
Toll roads .....	11
Truck parking areas .....	12
Restareas .....	12
<b>Example of requests and server responses</b> .....	<b>13</b>
b2b.dogodki.rss .....	13
b2b.dogodki.georss .....	13
b2b.dogodki.json .....	14
b2b.dogodki.geojson .....	15
b2b.dogodki.datexii.....	17
b2b.porocilo.rss.....	19
b2b.porocilo.json.....	20
b2b.kamere.georss.sl_SI.....	21
b2b.kamere.datexii.sl_SI .....	22
b2b.kamere.geojson.....	24
b2b.stevci.georss.sl_SI.....	26
b2b.stevci.geojson.sl_SI .....	28
b2b.burja.georss.....	30
b2b.burja.geojson.....	31
b2b.koledar.rss .....	32

b2b.borderdelays.json .....	33
b2b.borderdelays.geojson .....	35
b2b.tollroads.geojson.WGS84 .....	37
b2b.tollroads.shape.D48.....	38
b2b.tollroads.shape.D96.....	38
b2b.tollroads.shape.WGS84 .....	38
b2b.truckparking.datexii .....	39
b2b.pocivalisca.geojson .....	44
b2b.pocivalisca.json .....	47

# B2B data sharing

---

## Traffic Data

Traffic Information Centre for public roads offers the possibility to get different traffic data on the web site [www.promet.si](http://www.promet.si). Data are available in several formats (RSS, GeoRSS, JSON, GeoJSON, DatexII...) and two languages (Slovenian, English) under the following conditions:

- Some data are available free of charge with no limitations and no registration needed. For these data the open web links are available, e.g. RSS with the list of current traffic events without geographic coordinates, traffic report, traffic forecast, etc.
- Some data are chargeable and available to the registered users only, e.g. up to date traffic events with geographic coordinates. Besides the registration also the special agreement with the owner has to be signed.
- Most of the data are available free of charge but the registration is needed. To get access to these data, please, follow the instructions below:

## Registration

Registration has to be done on the web site [www.promet.si](http://www.promet.si) in MY PIC section. After the registration the e-mail and the chosen data have to be sent via the contact form in the Developers and B2B section. This allows the administrator to assign the rights needed.

When this is done the client can start downloading the data. To download the data the authentication standard OAuth2 is used.

The client sends login request with his username and password, and receives an access-token with a limited duration for accessing the data. Besides this the client also gets a refresh-token to refresh the application when the access-token expires. Learn more below.

## Login and using tokens

---

Applies to the contents of the second and third indents of the previous chapter for which user registration is required. Once the user is registered, he should submit the application for the desired rights and when confirmed, he procedure is as follows:

### Required login data

- Username (email address used for registration)
- Password

### Login

Use HTTPS protocol for login!

```
POST /uc/user/token HTTP/1.1
Host: www.promet.si
Content-Type: application/x-www-form-urlencoded

grant_type=password&username=...&password=...
```

If login succeeded, user tokens are returned:

```
{
  "access_token": "eyJ0...",
  "token_type": "bearer",
  "expires_in": 86399,
  "refresh_token": "eyJ0..."
}
```

After this, when making requests for traffic contents, add `access_token` as a HTTP header.

```
Authorization: Bearer <ACCESS_TOKEN>
```

### Refreshing

`Access_token` has a limited time validity. Its expiration (in second) is defined in `»expires_in«` property. If it expires or if server returns HTTP 401, you need to make an additional request using `refresh_token`, to get a new valid `access_token`.

```
POST /uc/user/token HTTP/1.1
Host: www.promet.si
Content-Type: application/x-www-form-urlencoded

grant_type=refresh_token&refresh_token=<REFRESH_TOKEN>
```

Result is the same as for the login request. Use refreshed `access_token` from there on for retrieving data and the new `refresh_token` for next refresh.

## Available contents

---

All contents are available on the »promet.si« web portal. Exact URL depends on selected content and user's permissions. It is suggested to use the HTTPS protocol for a security reasons.

URL request prototype:

```
https://www.promet.si/dc/{{identifikator vsebine}}
```

Client has to include an »Authorisation« HTTP header into the request headers:

```
Authorization: bearer {{access_token}}
```

Client gets an access token in the response content of a successful login request.

Following are lists of available contents and data formats.

CAUTION: The client should consider the possibility that the existing data schema is not fixed once and for all, and that in the future, new fields may be added in some formats of some contents. The parsing mechanism of the received data should be adjusted to handle such scenarios gracefully.

### Traffic events

Content identifiers:

- `b2b.dogodki.rss`: RSS with current traffic events.
- `b2b.dogodki.georss`: GeoRSS with current traffic events. Contains location in WGS84 system (EPSG:4326).
- `b2b.dogodki.json`: JSON with current traffic events.
- `b2b.dogodki.geojson`: GeoJSON with current traffic events. Contains location in WGS84 system (EPSG:4326).
- `b2b.dogodki.datexii`: DatexII v2.3 with current traffic events. Doesn't contain locations in geographic coordinates.

Service accepts optional GET parameters:

- `language`: Defines language. Allowed values:
  - `s1_SI`: Slovenian, default.
  - `en_US`: English.
  - `multi`: Slovenian and english.
- `roadtype`: Filteres by road type. Allowed values:



- all: All roads, default.
- highway: Highways.
- nonhighway: Other roads.
- eventtype: Filters by traffic event type:
  - all: All events, default.
  - roadworks: Roadworks.
  - incidents: Ather events.
- icons: Adds icons to feed. Only for GeoRSS and GeoJSON
  - Default

URL examples:

- <https://www.promet.si/dc/b2b.dogodki.geojson?eventtype=roadworks&roadtype=highway>
- <https://www.promet.si/dc/b2b.dogodki.geojson?eventtype=incidents&roadtype=highway>
- [https://www.promet.si/dc/b2b.dogodki.geojson?language=en\\_US](https://www.promet.si/dc/b2b.dogodki.geojson?language=en_US)
- <https://www.promet.si/dc/b2b.dogodki.geojson?icons=Default>

## Traffic report

Content identifiers:

- `b2b.porocilo.rss`: RSS with traffic report.
- `b2b.porocilo.json`: JSON with traffic report.

Service accepts optional GET parameters:

- `language`: Defines language. Allowed values:
  - `s1_SI`: Slovenian, default.
  - `en_US`: English.
- `contentType`: Content format. Allowed values:
  - `html`: HTML formatted, default.
  - `text`: Unformatted text.

URL examples:

- [https://www.promet.si/dc/b2b.porocilo.rss?language=en\\_US&contentType=text](https://www.promet.si/dc/b2b.porocilo.rss?language=en_US&contentType=text)
- [https://www.promet.si/dc/b2b.porocilo.json?language=en\\_US&contentType=html](https://www.promet.si/dc/b2b.porocilo.json?language=en_US&contentType=html)

## Traffic cams

Content identifiers:

- `b2b.kamere.georss.s1_SI`: GeoRSS with traffic cams, slovenain. Contains location in WGS84 system (EPSG:4326).
- `b2b.kamere.georss.en_US`: GeoRSS with traffic cams, english. Contains location in WGS84 system (EPSG:4326).

- `b2b.kamere.datexii.sl_SI`: DatexII v2.3 with traffic cams, slovenian. Contains location.
- `b2b.kamere.datexii.en_US`: DatexII v2.3 with traffic cams, english. Contains location.
- `b2b.kamere.geojson`: GeoJSON s kamerami. Contains location in WGS84 system (EPSG:4326).

URL examples:

- [https://www.promet.si/dc/b2b.kamere.georss.en\\_US](https://www.promet.si/dc/b2b.kamere.georss.en_US)
- <https://www.promet.si/dc/b2b.kamere.geojson>

## Traffic counters

Content identifiers:

- `b2b.stevci.georss.sl_SI`: GeoRSS with traffic counters, slovenian. Contains location in MGI 1901 system (EPSG: 3912).
- `b2b.stevci.georss.en_US`: GeoRSS with traffic counters, english. Contains location in MGI 1901 system (EPSG: 3912).
- `b2b.stevci.geojson.sl_SI`: GeoJSON with traffic counters, slovenian. Contains location in MGI 1901 system (EPSG: 3912).
- `b2b.stevci.geojson.en_US`: GeoJSON with traffic counters, english. Contains location in MGI 1901 system (EPSG: 3912).

URL examples:

- [https://www.promet.si/dc/b2b.stevci.georss.en\\_US](https://www.promet.si/dc/b2b.stevci.georss.en_US)
- [https://www.promet.si/dc/b2b.stevci.geojson.en\\_US](https://www.promet.si/dc/b2b.stevci.geojson.en_US)

## Burja wind

Content identifiers:

- `b2b.burja.georss`: GeoRSS z burjo. Contains location in WGS84 system (EPSG:4326).
- `b2b.burja.geojson`: GeoJSON z burjo. Contains location in WGS84 system (EPSG:4326).

URL examples:

- <https://www.promet.si/dc/b2b.burja.georss>

## Traffic calendar

Content identifiers:

- `b2b.koledar.rss`: RSS with traffic calendar.

Service accepts optional GET parameters:

- `language`: Defines language. Allowed values:
  - `s1_SI`: Slovenian, default.
  - `en_US`: English.
- `fromDate`: Start date, in yyyy-MM-dd format.
- `toDate`: End date, in yyyy-MM-dd format.

URL examples:

- [https://www.promet.si/dc/b2b.koledar.rss?fromDate=2017-11-01&toDate=2017-12-01&language=en\\_US](https://www.promet.si/dc/b2b.koledar.rss?fromDate=2017-11-01&toDate=2017-12-01&language=en_US)
- [https://www.promet.si/dc/b2b.koledar.rss?fromDate=2017-11-01&toDate=2017-12-01&language=en\\_US](https://www.promet.si/dc/b2b.koledar.rss?fromDate=2017-11-01&toDate=2017-12-01&language=en_US)

## Border crossing delays

Content identifiers:

- `b2b.borderdelays.json`: JSON.
- `b2b.borderdelays.geojson`: GeoJSON. Contains location in WGS84 system (EPSG:4326).

Service accepts optional GET parameters:

- `language`: Defines language. Allowed values:
  - `s1_SI`: Slovenian, default.
  - `en_US`: English.

URL examples:

- [https://www.promet.si/dc/b2b.borderdelays.json?language=en\\_US](https://www.promet.si/dc/b2b.borderdelays.json?language=en_US)
- [https://www.promet.si/dc/b2b.borderdelays.geojson?language=en\\_US](https://www.promet.si/dc/b2b.borderdelays.geojson?language=en_US)

## Toll roads

Content identifiers:

- `b2b.tollroads.geojson.WGS84`: GeoJSON with tollroads in WGS84 system (EPSG:4326).
- `b2b.tollroads.shape.D48.zip`: ZIP shapefile with tollroads in MGI 1901 system (EPSG:3912).
- `b2b.tollroads.shape.D96.zip`: ZIP shapefile with tollroads in D96 system (EPSG:3794).

- `b2b.tollroads.shape.WGS84.zip`: ZIP shapefile with tollroads in WGS84 system (EPSG:4326).

URL examples:

- <https://www.promet.si/dc/b2b.tollroads.geojson.WGS84>
- <https://www.promet.si/dc/b2b.tollroads.shape.D48.zip>
- <https://www.promet.si/dc/b2b.tollroads.shape.D96.zip>
- <https://www.promet.si/dc/b2b.tollroads.shape.WGS84.zip>

## Truck parking areas

Content identifiers:

- `b2b.truckparking.datexii`: DatexII v2.3 with list of truck parking areas on Slovenian motorways and expressways. Contains location.

URL examples:

- <https://www.promet.si/dc/b2b.truckparking.datexii>

## Restareas

Content identifiers:

- `b2b.pocivalisca.geojson`: GeoJSON with locations and available services and amenities of rest areas on motorways. Contains precise location. Descriptions are provided in Slovenian and English language.
- `b2b.pocivalisca.json`: JSON with available services and amenities of rest areas on motorways. Does not contains precise location. Descriptions are provided in Slovenian and English language.

URL examples:

- <https://promet.si/dc/b2b.pocivalisca.geojson>
- <https://promet.si/dc/b2b.pocivalisca.json>

## Example of requests and server responses

### b2b.dogodki.rss

Request:

```
GET /dc/b2b.dogodki.rss HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

Server response:

```
<?xml version="1.0" encoding="utf-8"?>
<feed xmlns="http://www.w3.org/2005/Atom">
  <title>Stanje na cestah, 23.11.2017 11:18:34</title>
  <subtitle>Dogodki</subtitle>
  <updated>2017-11-23T10:00:03.94Z</updated>
  <link href="http://www.promet.si" />
  <author>
    <name>DARS d.d.</name>
    <email>info@promet.si</email>
  </author>
  <entry>
    <title>H2-E57, E59, hitra cesta skozi Maribor: Delo na cesti</title>
    <id>268607</id>
    <updated>2017-11-23T09:51:49.407Z</updated>
    <summary>H2, hitra cesta skozi Maribor, pred izvozom MB - center v smeri
    Šentilja, Avstrije je zaradi del oviran promet.</summary>
    <category term="Delo na cesti" />
  </entry>
  <entry>
    <title>H2-E57, E59, hitra cesta skozi Maribor: Delo na cesti</title>
    <id>268607</id>
    <updated>2017-11-23T09:51:49.407Z</updated>
    <summary>H2, hitra cesta skozi Maribor, pred izvozom MB - center v smeri
    Šentilja, Avstrije je zaradi del oviran promet.</summary>
    <category term="Delo na cesti" />
  </entry>
</feed>
```

### b2b.dogodki.georss

Request:

```
GET /dc/b2b.dogodki.georss HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

Server response:

```
<?xml version="1.0" encoding="utf-8"?>
<feed xmlns:georss="http://www.georss.org/georss"
xmlns="http://www.w3.org/2005/Atom">
  <title>Stanje na cestah, 23.11.2017 11:24:13</title>
  <subtitle>Dogodki</subtitle>
  <updated>2017-11-23T10:00:03.94Z</updated>
  <link href="http://www.promet.si" />
  <author>
    <name>DARS d.d.</name>
    <email>info@promet.si</email>
  </author>
  <entry>
    <title>H2-E57, E59, hitra cesta skozi Maribor: Delo na cesti</title>
    <id>268607</id>
    <updated>2017-11-23T09:51:49.407Z</updated>
    <summary>H2, hitra cesta skozi Maribor, pred izvozom MB - center v smeri
Šentilja, Avstrije je zaradi del oviran promet.</summary>
    <category term="Delo na cesti" />
    <georss:point>46.5577461838219,15.6607444286721</georss:point>
  </entry>
  <entry>
    <title>R3-653, Hrib - Trava - Podplanina: Izredni dogodek</title>
    <id>92915</id>
    <updated>2017-10-27T08:29:29.19Z</updated>
    <summary>R3-653, Hrib - Trava - Podplanina, na več odsekih polovične
zapore zaradi zdrsa brežin. Promet poteka izmenično enosmerno.</summary>
    <category term="Izredni dogodek" />
    <georss:point>45.5938807117354,14.657357049463</georss:point>
  </entry>
</feed>
```

## b2b.dogodki.json

Request:

```
GET /dc/b2b.dogodki.json HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

Server response:

```

{
  "type": "FeatureCollection",
  "features": [
    {
      "type": "Feature",
      "properties": {
        "updated": "2017-11-23T11:26:22.043+01:00",
        "id": 268608,
        "EntityId": "c9fb83c5-38a8-4347-95b7-a334e42b264c",
        "kategorija": "A1",
        "cesta": "A1-E61, E70, Ljubljana - Koper",
        "vzrok": "Delo na cesti",
        "opis": "A1, Ljubljana - Koper, med priključkom Unec in počivališčem
Ravbarkomanda v smeri Kopra sta zaradi del zaprta vozni in prehitevalni pas,
promet poteka po počasnem pasu."
      }
    },
    {
      "type": "Feature",
      "properties": {
        "updated": "2017-10-27T10:29:29.19+02:00",
        "id": 92915,
        "EntityId": "61b1b9ef-e219-4f95-af4a-266003aaf403",
        "kategorija": "R3",
        "cesta": "R3-653, Hrib - Trava - Podplanina",
        "vzrok": "Izredni dogodek",
        "opis": "R3-653, Hrib - Trava - Podplanina, na več odsekih polovične
zapore zaradi zdrsa brežin. Promet poteka izmenično enosmerno."
      }
    }
  ],
  "properties": {
    "LastUpdateTS": "2017-11-23T10:26:22.043Z",
    "PeriodFrom": "2017-11-23T10:26:22.8354966Z",
    "PeriodTo": "2017-11-23T10:26:22.8354966Z",
    "Language": "sl_SI"
  }
}

```

## b2b.dogodki.geojson

Request:

```

GET /dc/b2b.dogodki.geojson HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

Server response:

```
{
  "type": "FeatureCollection",
  "crs": {
    "type": "name",
    "properties": {
      "name": "EPSG:4326"
    }
  },
  "features": [
    {
      "type": "Feature",
      "geometry": {
        "type": "Point",
        "coordinates": [
          15.492381482519763,
          46.534260251786471
        ]
      },
      "properties": {
        "updated": "2017-11-15T11:10:26.97+01:00",
        "x": 15.492381482519763,
        "y": 46.534260251786471,
        "id": 267811,
        "EntityId": "c2aebf41-bf68-4dc0-b5ac-496d5f83e9c4",
        "kategorija": "R3",
        "cesta": "R3-705, Ruše - Puščava",
        "vzrok": "Delo na cesti",
        "opis": "R3-705, Ruše - Činžat - Puščava, v Rušah, polovična zapora zaradi del do 15. ure. Promet poteka izmenično enosmerno."
      }
    },
    {
      "type": "Feature",
      "geometry": {
        "type": "Point",
        "coordinates": [
          13.621224932938974,
          45.466016452605238
        ]
      },
      "properties": {
        "updated": "2017-11-15T11:02:52.967+01:00",
        "x": 13.621224932938974,
        "y": 45.466016452605238,
        "id": 267810,
        "EntityId": "cbc46738-5bd0-49b9-9b0a-c9f994337e77",
        "kategorija": "G2",
        "cesta": "G2-111, Valeta - Sečovlje",
        "vzrok": "Nesreča",
        "opis": "G2-111, Seča - MP Sečovlje, pri odcepu za Dragonjo,"
      }
    }
  ]
}
```



polovična zapora zaradi prometne nesreče. Promet poteka izmenično enosmerno."

```

    }
  }
],
"properties": {
  "LastUpdateTS": "2017-11-15T10:11:37.687Z",
  "PeriodFrom": "2017-11-15T10:15:59.9778844Z",
  "PeriodTo": "2017-11-15T10:15:59.9778844Z",
  "Language": "sl_SI"
}
}

```

## b2b.dogodki.datexii

Request:

```

GET /dc/b2b.dogodki.datexii HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

Server response:

```

<?xml version="1.0" encoding="utf-8"?>
<d2LogicalModel xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" modelBaseVersion="2"
xmlns="http://datex2.eu/schema/2/2_0">
  <exchange>
    <supplierIdentification>
      <country>si</country>
      <nationalIdentifier>DARS</nationalIdentifier>
    </supplierIdentification>
  </exchange>
  <payloadPublication xsi:type="SituationPublication" lang="sl">
    <publicationTime>2018-02-22T06:30:20.7440588Z</publicationTime>
    <publicationCreator>
      <country>si</country>
      <nationalIdentifier>DARS</nationalIdentifier>
    </publicationCreator>
    <situation version="1" id="DARS;275043;0be493c0-9f28-440c-90ea-
019a26e6113a">
      <headerInformation>
        <confidentiality>noRestriction</confidentiality>
        <informationStatus>real</informationStatus>
      </headerInformation>
      <situationRecord xsi:type="Accident" version="1"
id="DARS;275043;0be493c0-9f28-440c-90ea-019a26e6113a">
        <situationRecordCreationTime>2018-02-

```

```

22T05:57:48.073Z</situationRecordCreationTime>
    <situationRecordVersionTime>2018-02-
22T05:57:48.073Z</situationRecordVersionTime>
    <probabilityOfOccurrence>certain</probabilityOfOccurrence>
    <validity>
<validityStatus>definedByValidityTimeSpec</validityStatus>
    <validityTimeSpecification>
        <overallStartTime>2018-02-
22T05:57:00Z</overallStartTime>
        <overallEndTime>2018-02-
22T13:10:00Z</overallEndTime>
    </validityTimeSpecification>
    </validity>
    <impact>
<trafficConstrictionType>lanesBlocked</trafficConstrictionType>
    </impact>
    <generalPublicComment>
        <comment>
            <values>
                <value lang="sl">A5, Lendava - Maribor, pred
cestninsko postajo Dragotinci v smeri Maribora je zaradi prometne nesreče
zaprt vozni pas.</value>
                <value lang="en">A5, motorway near Maribor in
the direction of Maribor the main lane is closed due to traffic
accident.</value>
            </values>
        </comment>
        <commentType>description</commentType>
    </generalPublicComment>
    <generalPublicComment>
        <comment>
            <values>
                <value lang="sl">A5, Lendava - Maribor</value>
                <value lang="en">A5, Lendava - Maribor</value>
            </values>
        </comment>
        <commentType>locationDescriptor</commentType>
    </generalPublicComment>
    <groupOfLocations xsi:type="Point">
        <alertCPoint xsi:type="AlertCMethod4Point">
<alertCLocationCountryCode>702</alertCLocationCountryCode>
<alertCLocationTableNumber>35</alertCLocationTableNumber>
<alertCLocationTableVersion>1.1</alertCLocationTableVersion>
        <alertCDirection>
<alertCDirectionCoded>negative</alertCDirectionCoded>
        </alertCDirection>
        <alertCMethod4PrimaryPointLocation>
            <alertCLocation>
                <specificLocation>30161</specificLocation>
            </alertCLocation>
            <offsetDistance>
                <offsetDistance>4860</offsetDistance>
            </offsetDistance>

```

```

        </alertCMethod4PrimaryPointLocation>
    </alertCPoint>
    <pointAlongLinearElement>
        <linearElement xsi:type="LinearElementByCode">
            <roadName>
                <values>
                    <value lang="sl">A5</value>
                    <value lang="en">A5</value>
                </values>
            </roadName>
        </linearElement>
    </pointAlongLinearElement>
    <distanceAlongLinearElement
xsi:type="DistanceFromLinearElementStart">
        <distanceAlong>3991</distanceAlong>
    </distanceAlongLinearElement>
    </groupOfLocations>
    <accidentType>accident</accidentType>
</situationRecord>
</situation>
</payloadPublication>
</d2LogicalModel>

```

## b2b.porocilo.rss

### Request:

```

GET /dc/b2b.porocilo.rss HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

### Server response:

```

<?xml version="1.0" encoding="utf-8"?>
<feed xmlns="http://www.w3.org/2005/Atom">
  <title>Stanje na cestah, 23.11.2017 11:31:54</title>
  <subtitle>Prometno poročilo</subtitle>
  <updated>2017-11-23T10:31:36.787Z</updated>
  <link href="http://www.promet.si" />
  <author>
    <name>DARS d.d.</name>
    <email>info@promet.si</email>
  </author>
  <entry>
    <title>Prometno poročilo, četrtek 23.november 2017 ob 11:31</title>
    <id>864532</id>
    <summary type="html">&lt;div&gt;&lt;p&gt;Zaradi del sta na primorski

```

```

avtocesti med Uncem in počivališčem Ravbarkomanda proti Kopru zaprta
prehitevalni in vozni pas, promet poteka po počasnem pasu. Nastal je krajši
zastoj.</p></div></div></div></div><b>Popolne zapore v
noči na petek:</b><br>- Zaradi postavitve portalov polurna na
primorski hitri cesti med priključkoma Semedela in Koper center v obe smeri,
predvidoma med 22. in 23. uro.</div></div>- Zaradi vzdrževalnih
del na gorenjski avtocesti med razcepom Koseze in predorom&nbsp;Šentvid
proti Karavankam, od 20.30 do 5.
ure.</div></div><br></div></div>Zaradi del je
zaprta cesta Mokronog - Boštanj pri Spodnjih Vodalah do 24.
novembra.</div></div><br></div></div>Čakalna
doba je na mejnem prehodu Obrežje pri
vstopu.</div></div></summary>
  <updated>2017-11-23T10:31:36.787Z</updated>
</entry>
</feed>

```

## b2b.porocilo.json

Request:

```

GET /dc/b2b.porocilo.json HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

Server response:

```

{
  "type": "FeatureCollection",
  "features": [
    {
      "type": "Feature",
      "properties": {
        "id": "cbfc6511-c1b9-47c8-98fd-2b07461e4f05",
        "opis_a": "",
        "opis_b": "<p>Zaradi del sta na primorski avtocesti med Uncem in
počivališčem Ravbarkomanda proti Kopru zaprta prehitevalni in vozni pas,
promet poteka po počasnem pasu. Nastal je krajši zastoj.</p>",
        "opis_c": "<div><b>Popolne zapore v noči na petek:</b><br>- Zaradi
postavitve portalov polurna na primorski hitri cesti med priključkoma
Semedela in Koper center v obe smeri, predvidoma med 22. in 23.
uro.</div><div>- Zaradi vzdrževalnih del na gorenjski avtocesti med razcepom
Koseze in predorom&nbsp;Šentvid proti Karavankam, od 20.30 do 5.
ure.</div><div><br></div><div>Zaradi del je zaprta cesta Mokronog - Boštanj
pri Spodnjih Vodalah do 24. novembra.</div><div><br></div><div>Čakalna
doba je na mejnem prehodu Obrežje pri vstopu.</div>",
        "datum": "2017-11-23T11:31:36.787+01:00",
        "operater": "Mirko Žaren"
      }
    }
  ]
}

```

```

    }
  }
],
"properties": {
  "LastUpdateTS": "2017-11-23T10:31:36.787Z",
  "Language": "sl_SI"
}
}

```

## b2b.kamere.georss.sl\_SI

### Request:

```

GET /dc/b2b.kamere.georss.sl_SI HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

### Server response:

```

<?xml version="1.0" encoding="utf-8"?>
<feed xmlns:georss="http://www.georss.org/georss"
xmlns:kazipot="http://kazipot1.promet.si"
xmlns="http://www.w3.org/2005/Atom">
  <title><![CDATA[Cestne kamere]]></title>
  <subtitle><![CDATA[Trenutni pogled na slovenskih cestah]]></subtitle>
  <updated>2017-11-23T08:17:51+01:00</updated>
  <link href="http://www.promet.si" />
  <author>
    <name>DARS d.d.</name>
    <email>info@promet.si</email>
  </author>
  <entry>
    <id>26</id>
    <title><![CDATA[priključek Brezovica]]></title>
    <summary><![CDATA[A1/E61/E70, Ljubljana - Koper, priključek Brezovica,
vrtljiva kamera]]></summary>
    <link><![CDATA[http://kamere.dars.si/kamere/Sentvid_Jug/cam11.jpg]]>
</link>
    <georss:point>46.027803656399 14.4409996535701</georss:point>
    <kazipot:active>1</kazipot:active>
    <kazipot:region>Primorska in Notranjska</kazipot:region>
    <kazipot:group>A1/E61/E70, Ljubljana - Koper, priključek
Brezovica</kazipot:group>
    <kazipot:groupId>grp15</kazipot:groupId>
  </entry>
  <entry>
    <id>350</id>
    <title><![CDATA[Rakitna]]></title>

```

```

<summary><![CDATA[R3-643, Rakitna - Cerknica, Rakitna]]></summary>
<link><![CDATA[http://www.drsc.si/kamere/KamSlike/Rakitna/slike/
Rak1_0001.jpg]]></link>
<georss:point>45.8903182430748 14.4373776818357</georss:point>
<kazipot:active>1</kazipot:active>
<kazipot:region>Primorska in Notranjska</kazipot:region>
<kazipot:group>R3-643, Rakitna - Cerknica, Rakitna</kazipot:group>
<kazipot:groupId>grp215</kazipot:groupId>
</entry>
</feed>

```

## b2b.kamere.datexii.sl\_SI

Request:

```

GET /dc/b2b.kamere.datexii.sl_SI HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

Server response:

```

<?xml version="1.0" encoding="utf-8"?>
<d2LogicalModel xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://datex2.eu/schema/2/2_0" modelBaseVersion="2">
  <exchange>
    <supplierIdentification>
      <country>si</country>
      <nationalIdentifier>DARS</nationalIdentifier>
    </supplierIdentification>
  </exchange>
  <payloadPublication xsi:type="PredefinedLocationsPublication" lang="en">
    <publicationTime>2017-11-23T07:17:51.8000741Z</publicationTime>
    <publicationCreator>
      <country>si</country>
      <nationalIdentifier>DARS</nationalIdentifier>
    </publicationCreator>
    <headerInformation>
      <confidentiality>noRestriction</confidentiality>
      <informationStatus>real</informationStatus>
    </headerInformation>
    <predefinedLocationContainer xsi:type="PredefinedLocation" version="1"
id="tag:promet.si,2000:/_archives/kamere/26">
      <predefinedLocationContainerExtension>
        <entry xmlns="http://www.w3.org/2005/Atom">
          <id>tag:promet.si,2000:/_archives/kamere/26</id>
          <title><![CDATA[priključek Brezovica]]></title>
          <updated>2017-11-23T08:17:51+01:00</updated>

```

```

        <content><![CDATA[A1/E61/E70, Ljubljana - Koper, priključek
Brezovica, vrtljiva kamera]]></content>
        <category term="Webcam"/>
        <link href="http://kamere.dars.si/kamere/Sentvid_Jug/cam11.jpg"/>
        <dars:active xmlns:dars="http://www.dars.si/dars">1</dars:active>
        <dars:region xmlns:dars="http://www.dars.si/dars">Primorska in
Notranjska</dars:region>
        <dars:group xmlns:dars="http://www.dars.si/dars">A1/E61/E70,
Ljubljana - Koper, priključek Brezovica</dars:group>
        <dars:groupId
xmlns:dars="http://www.dars.si/dars">grp15</dars:groupId>
    </entry>
</predefinedLocationContainerExtension>
<location xsi:type="Point">
    <locationForDisplay>
        <latitude>46.0278053</latitude>
        <longitude>14.441</longitude>
    </locationForDisplay>
    <pointByCoordinates>
        <pointCoordinates>
            <latitude>46.0278053</latitude>
            <longitude>14.441</longitude>
        </pointCoordinates>
    </pointByCoordinates>
</location>
</predefinedLocationContainer>
<predefinedLocationContainer xsi:type="PredefinedLocation" version="1"
id="tag:promet.si,2000:/_archives/kamere/350">
    <predefinedLocationContainerExtension>
        <entry xmlns="http://www.w3.org/2005/Atom">
            <id>tag:promet.si,2000:/_archives/kamere/350</id>
            <title><![CDATA[Rakitna]]></title>
            <updated>2017-11-23T08:17:51+01:00</updated>
            <content><![CDATA[R3-643, Rakitna - Cerknica, Rakitna]]></content>
            <category term="Webcam"/>
            <link
href="http://www.drsc.si/kamere/KamSlike/Rakitna/slike/Rak1_0001.jpg"/>
            <dars:active xmlns:dars="http://www.dars.si/dars">1</dars:active>
            <dars:region xmlns:dars="http://www.dars.si/dars">Primorska in
Notranjska</dars:region>
            <dars:group xmlns:dars="http://www.dars.si/dars">R3-643, Rakitna -
Cerknica, Rakitna</dars:group>
            <dars:groupId
xmlns:dars="http://www.dars.si/dars">grp215</dars:groupId>
        </entry>
    </predefinedLocationContainerExtension>
<location xsi:type="Point">
    <locationForDisplay>
        <latitude>45.89032</latitude>
        <longitude>14.4373779</longitude>
    </locationForDisplay>
    <pointByCoordinates>
        <pointCoordinates>

```

```

        <latitude>45.89032</latitude>
        <longitude>14.4373779</longitude>
    </pointCoordinates>
</pointByCoordinates>
</location>
</predefinedLocationContainer>
</payloadPublication>
</d2LogicalModel>

```

## b2b.kamere.geojson

### Request:

```

GET /dc/b2b.kamere.geojson HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

### Server response:

```

{
  "type": "FeatureCollection",
  "crs": {
    "type": "name",
    "properties": {
      "name": "EPSG:4326"
    }
  },
  "features": [
    {
      "type": "Feature",
      "geometry": {
        "type": "Point",
        "coordinates": [
          14.440999653570097,
          46.027803614599868
        ]
      },
      "properties": {
        "group": {
          "LegacyId": 15,
          "EntityId": "209b11e9-912b-4183-ad71-98292e250d7d",
          "name": "Brezovica",
          "title_slo": "A1/E61/E70, Ljubljana - Koper, priključek
Brezovica",
          "title_eng": "A1/E61/E70, Ljubljana - Koper, Brezovica
connection",
          "priority": 101
        }
      }
    }
  ]
}

```



```

    "items": [
      {
        "LegacyId": 26,
        "EntityId": "b31eff62-47b6-4bf6-a5df-1cee2e34beaa",
        "x": 457095.0,
        "y": 98332.0,
        "name": "Brezovica",
        "region": "Primorska in Notranjska",
        "title_slo": "priključek Brezovica",
        "title_eng": "Brezovica junction",
        "text_slo": "A1/E61/E70, Ljubljana - Koper, priključek
Brezovica, vrtljiva kamera",
        "text_eng": "A1/E61/E70, Ljubljana - Koper, Brezovica junction,
rotating camera",
        "image": "http://kamere.dars.si/kamere/Sentvid_Jug/cam11.jpg",
        "active": 1,
        "priority": null,
        "odsek": "0051",
        "stacionaza": 1963.0
      }
    ]
  },
  {
    "type": "Feature",
    "geometry": {
      "type": "Point",
      "coordinates": [
        14.437377681835661,
        45.890318201256356
      ]
    },
    "properties": {
      "group": {
        "LegacyId": 215,
        "EntityId": "7f31cce7-abff-4126-8411-700d0301d75b",
        "name": "Rakitna",
        "title_slo": "R3-643, Rakitna - Cerknica, Rakitna",
        "title_eng": "R3-643, Rakitna - Cerknica, Rakitna",
        "priority": 507
      }
    },
    "items": [
      {
        "LegacyId": 350,
        "EntityId": "961b811c-25fa-4147-871f-ce61e291c42f",
        "x": 456707.1,
        "y": 83054.1,
        "name": "Rakitna",
        "region": "Primorska in Notranjska",
        "title_slo": "Rakitna",
        "title_eng": "Rakitna",
        "text_slo": "R3-643, Rakitna - Cerknica, Rakitna",
        "text_eng": "R3-643, Rakitna - Cerknica, Rakitna",

```

```

        "image":
"http://www.drsc.si/kamere/KamSlike/Rakitna/slike/Rak1_0001.jpg",
        "active": 1,
        "priority": null,
        "odsek": "1362",
        "stacionaza": null
    }
  ]
}
]
}

```

## b2b.stevci.georss.sl\_SI

### Request:

```

GET /dc/b2b.stevci.georss.sl_SI HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

### Server response:

```

<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<feed xmlns="http://www.w3.org/2005/Atom"
xmlns:georss="http://www.georss.org/georss"
xmlns:crs="http://www.dars.si/schemas/crs"
xmlns:stevci="http://www.dars.si/schemas/stevci/v1">
  <title>Števcí prometa</title>
  <subtitle>DRSC - Poročilo o trenutnem stanju prometa</subtitle>
  <link href="http://www.promet.si"/>
  <updated>2017-11-23T10:51:17Z</updated>
  <author>
    <name>Mikrobit senzorika d.o.o.</name>
    <email>info@mikrobit.si</email>
  </author>
  <id>23.11.2017 11:51:17</id>
  <crs:crsId>EPSG:2170</crs:crsId>
  <entry>
    <title>AC-A1, LJ (južna obvoznica) : Barjanska - Peruzzijska (v)</title>
    <id>0178-21</id>
    <updated>2017-11-23T10:50:00Z</updated>
    <summary>AC-A1, LJ (južna obvoznica) : Barjanska - Peruzzijska (v) -
Gost promet (1224 vozil/h, povp. hitrost=91km/h, povp. razmik=2,4s,
zasedenost=15,8%)</summary>
    <georss:point>463074 097385</georss:point>
    <stevci:lokacija>0178</stevci:lokacija>
    <stevci:lokacijaOpis>LJ (južna obvoznica)</stevci:lokacijaOpis>

```

```

<stevci:cestaOpis>AC-A1</stevci:cestaOpis>
<stevci:odsek>0018</stevci:odsek>
<stevci:stacionaza>2.290</stevci:stacionaza>
<stevci:smer>21</stevci:smer>
<stevci:smerOpis>Barjanska - Peruzzijska</stevci:smerOpis>
<stevci:pasOpis>(v)</stevci:pasOpis>
<stevci:regija>ACB Ljubljana</stevci:regija>
<stevci:geoX>463074</stevci:geoX>
<stevci:geoY>097385</stevci:geoY>
<stevci:vmax>100</stevci:vmax>
<stevci:datum>23/11/2017</stevci:datum>
<stevci:ura>11:50:00</stevci:ura>
<stevci:stev>1224</stevci:stev>
<stevci:hit>91</stevci:hit>
<stevci:gap>2,4</stevci:gap>
<stevci:occ>158</stevci:occ>
<stevci:stat>4</stevci:stat>
<stevci:statOpis>Gost promet</stevci:statOpis>
</entry>
<entry>
  <title>RT-929, Spodnje Hoče : Zg. Hoče - Sp. Hoče </title>
  <id>0912-21</id>
  <updated>2017-11-23T10:50:00Z</updated>
  <summary>RT-929, Spodnje Hoče : Zg. Hoče - Sp. Hoče - Normalen promet
(84 vozil/h, povp. hitrost=53km/h, povp. razmik=34,1s,
zasedenost=1,2%)</summary>
  <georss:point>549157 150240</georss:point>
  <stevci:lokacija>0912</stevci:lokacija>
  <stevci:lokacijaOpis>Spodnje Hoče</stevci:lokacijaOpis>
  <stevci:cestaOpis>RT-929</stevci:cestaOpis>
  <stevci:odsek>1332</stevci:odsek>
  <stevci:stacionaza>1.300</stevci:stacionaza>
  <stevci:smer>21</stevci:smer>
  <stevci:smerOpis>Zg. Hoče - Sp. Hoče</stevci:smerOpis>
  <stevci:pasOpis/>
  <stevci:regija/>
  <stevci:geoX>549157</stevci:geoX>
  <stevci:geoY>150240</stevci:geoY>
  <stevci:vmax>50</stevci:vmax>
  <stevci:datum>23/11/2017</stevci:datum>
  <stevci:ura>11:50:00</stevci:ura>
  <stevci:stev>84</stevci:stev>
  <stevci:hit>53</stevci:hit>
  <stevci:gap>34,1</stevci:gap>
  <stevci:occ>12</stevci:occ>
  <stevci:stat>1</stevci:stat>
  <stevci:statOpis>Normalen promet</stevci:statOpis>
</entry>
</feed>

```

## b2b.stevci.geojson.sl\_SI

## Request:

```
GET /dc/b2b.stevci.geojson.sl_SI HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

## Server response:

```
{
  "type": "FeatureCollection",
  "crs": {
    "type": "name",
    "properties": {
      "name": "EPSG:2170"
    }
  },
  "features": [
    {
      "type": "Feature",
      "geometry": {
        "type": "Point",
        "coordinates": [
          463074.0,
          97385.0
        ]
      },
      "properties": {
        "title": "AC-A1, LJ (južna obvoznica) : Barjanska - Peruzzijska
(v)",
        "id": "0178-21",
        "updated": "2017-11-23T11:35:00Z",
        "summary": "AC-A1, LJ (južna obvoznica) : Barjanska - Peruzzijska
(v) - Zgoščen promet (1200 vozil/h, povp. hitrost=96km/h, povp. razmik=2,6s,
zasedenost=14,2%)",
        "stevci_lokacija": "0178",
        "stevci_lokacijaOpis": "LJ (južna obvoznica)",
        "stevci_cestaOpis": "AC-A1",
        "stevci_odsek": "0018",
        "stevci_stacionaza": "2.290",
        "stevci_smer": "21",
        "stevci_smerOpis": "Barjanska - Peruzzijska",
        "stevci_pasOpis": "(v)",
        "stevci_regija": "ACB Ljubljana",
        "stevci_geoX": "463074",
        "stevci_geoY": "097385",
        "stevci_vmax": "100",
        "stevci_datum": "23/11/2017",
        "stevci_ura": "12:35:00",
```

```

    "stevci_stev": "1200",
    "stevci_hit": "96",
    "stevci_gap": "2,6",
    "stevci_occ": "142",
    "stevci_stat": "3",
    "stevci_statOpis": "Zgoščen promet"
  }
},
{
  "type": "Feature",
  "geometry": {
    "type": "Point",
    "coordinates": [
      549157.0,
      150240.0
    ]
  },
  "properties": {
    "title": "RT-929, Spodnje Hoče : Zg. Hoče - Sp. Hoče ",
    "id": "0912-21",
    "updated": "2017-11-23T11:35:00Z",
    "summary": "RT-929, Spodnje Hoče : Zg. Hoče - Sp. Hoče - Normalen promet (168 vozil/h, povp. hitrost=54km/h, povp. razmik=20,0s, zasedenost=2,5%)",
    "stevci_lokacija": "0912",
    "stevci_lokacijaOpis": "Spodnje Hoče",
    "stevci_cestaOpis": "RT-929",
    "stevci_odsek": "1332",
    "stevci_stacionaza": "1.300",
    "stevci_smer": "21",
    "stevci_smerOpis": "Zg. Hoče - Sp. Hoče",
    "stevci_pasOpis": "",
    "stevci_regija": "",
    "stevci_geoX": "549157",
    "stevci_geoY": "150240",
    "stevci_vmax": "50",
    "stevci_datum": "23/11/2017",
    "stevci_ura": "12:35:00",
    "stevci_stev": "168",
    "stevci_hit": "54",
    "stevci_gap": "20,0",
    "stevci_occ": "25",
    "stevci_stat": "1",
    "stevci_statOpis": "Normalen promet"
  }
}
],
"properties": {
  "title": "Števci prometa",
  "subtitle": "DRSC - Poročilo o trenutnem stanju prometa",
  "link": {
    "href": "http://www.promet.si"
  }
},

```

```

    "updated": "2017-11-23T11:36:18Z",
    "author": {
      "name": "Mikrobit senzorika d.o.o.",
      "email": "info@mikrobit.si"
    },
    "id": "23.11.2017 12:36:18",
    "xmlns": "http://www.w3.org/2005/Atom",
    "xmlns_georss": "http://www.georss.org/georss",
    "xmlns_crs": "http://www.dars.si/schemas/crs",
    "xmlns_stevci": "http://www.dars.si/schemas/stevci/v1"
  }
}

```

## b2b.burja.georss

Request:

```

GET /dc/b2b.burja.georss HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

Server response:

```

<?xml version="1.0" encoding="utf-8"?>
<feed xmlns="http://www.w3.org/2005/Atom"
xmlns:georss="http://www.georss.org/georss"
xmlns:burja="http://www.dars.si/burja">
  <title>Merilniki vetra</title>
  <subtitle>Lokacije merilnikov hitrosti vetra</subtitle>
  <updated>2017-11-23T12:38:29.080+01:00</updated>
  <link href="http://www.promet.si"/>
  <author>
    <name>DARS d.d.</name>
    <email>info@promet.si</email>
  </author>
  <entry>
    <id>1</id>
    <title>Manče</title>
    <summary>Manče</summary>
    <updated>2017-11-23T12:37:41.000+01:00</updated>
    <georss:point>45.82479,13.95812</georss:point>
    <burja:veter>0.1</burja:veter>
    <burja:sunki>7.0</burja:sunki>
  </entry>
  <entry>
    <id>8</id>
    <title>Vitovlje</title>
    <summary>Vitovlje</summary>

```

```

<updated>2017-11-23T12:37:40.000+01:00</updated>
<georss:point>45.921715,13.755232</georss:point>
<burja:veter>4.1</burja:veter>
<burja:sunki>7.0</burja:sunki>
</entry>
</feed>

```

## b2b.burja.geojson

Request:

```

GET /dc/b2b.burja.geojson HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

Server response:

```

{
  "type": "FeatureCollection",
  "crs": {
    "type": "name",
    "properties": {
      "name": "EPSG:4326"
    }
  },
  "features": [
    {
      "type": "Feature",
      "geometry": {
        "type": "Point",
        "coordinates": [
          13.95812,
          45.82479
        ]
      },
      "properties": {
        "id": "1",
        "title": "Manče",
        "summary": "Manče",
        "updated": "2017-11-23T12:36:40.000+01:00",
        "burja_veter": "3.1",
        "burja_sunki": "7.0"
      }
    },
    {
      "type": "Feature",
      "geometry": {
        "type": "Point",

```

```

    "coordinates": [
      13.755232,
      45.921715
    ]
  },
  "properties": {
    "id": "8",
    "title": "Vitovlje",
    "summary": "Vitovlje",
    "updated": "2017-11-23T12:36:39.000+01:00",
    "burja_veter": "2.1",
    "burja_sunki": "7.0"
  }
}
],
"properties": {
  "title": "Merilniki vetra",
  "subtitle": "Lokacije merilnikov hitrosti vetra",
  "updated": "2017-11-23T12:36:41.105+01:00",
  "link": {
    "href": "http://www.promet.si"
  },
  "author": {
    "name": "DARS d.d.",
    "email": "info@promet.si"
  },
  "xmlns": "http://www.w3.org/2005/Atom",
  "xmlns_georss": "http://www.georss.org/georss",
  "xmlns_burja": "http://www.dars.si/burja"
}
}

```

## b2b.koledar.rss

### Request:

```

GET /dc/b2b.koledar.rss?fromDate={yyyy-mm-dd}&toDate={yyyy-mm-dd} HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

### Server response:

```

<?xml version="1.0" encoding="utf-8"?>
<feed xmlns="http://www.w3.org/2005/Atom">
  <title>Stanje na cestah, od 1.11.2017 0:00:00 do 10.11.2017
0:00:00</title>
  <subtitle>Prometni koledar</subtitle>
  <link href="http://www.promet.si" />

```



```

<author>
  <name>DARS d.d.</name>
  <email>info@promet.si</email>
</author>
<entry>
  <title>Napoved za dan petek 10.november 2017</title>
  <id>6058</id>
  <summary>7-14h: običajna gostota prometa 14-21h: povečana gostota
prometa</summary>
  <updated>2017-11-10T00:00:00Z</updated>
</entry>
<entry>
  <title>Napoved za dan sreda 1.november 2017</title>
  <id>6049</id>
  <summary>7-14h: povečana gostota prometa 14-21h: visoka gostota
prometa</summary>
  <updated>2017-11-01T00:00:00Z</updated>
</entry>
</feed>

```

## b2b.borderdelays.json

Request:

```

GET /dc/b2b.borderdelays.json?language=en_US HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

Server response:

```

{
  "type": "FeatureCollection",
  "features": [
    {
      "type": "Feature",
      "properties": {
        "BorderCrossingId": "7ef7f1b2-e37c-4b1a-8b6b-e34c642118a6",
        "BorderCrossingName": "Dragonja, Kaštel",
        "BorderCrossingForeignName": null,
        "Updated": "2018-08-02T08:23:17.237+02:00",
        "Description": " G1-11, Koper-Dragonja, border crossing
Dragonja, Kaštel, latest delays info: cars 20 min at entrance.",
        "Description_i18n": {
          "en_US": "G1-11, Koper-Dragonja, border crossing
Dragonja, Kaštel, latest delays info: cars 20 min at entrance.",
          "sl_SI": "G1-11, Koper-Dragonja, mejni prehod Dragonja,
Kaštel, zadnji podatek o čakalnih dobah: osebna vozila 20 min pri vstopu."

```

```

    },
    "Road": "G1-11 Koper-Dragonja",
    "InboundTruckDelaySeconds": null,
    "InboundTruckQueueMeters": null,
    "InboundBusDelaySeconds": null,
    "InboundBusQueueMeters": null,
    "InboundCarDelaySeconds": 1200,
    "InboundCarQueueMeters": null,
    "OutboundTruckDelaySeconds": null,
    "OutboundTruckQueueMeters": null,
    "OutboundBusDelaySeconds": null,
    "OutboundBusQueueMeters": null,
    "OutboundCarDelaySeconds": null,
    "OutboundCarQueueMeters": null
  }
},
{
  "type": "Feature",
  "properties": {
    "BorderCrossingId": "c5b5ee5d-d98e-4504-8478-6d2ff7246cda",
    "BorderCrossingName": "Gruškovje, Macelj",
    "BorderCrossingForeignName": null,
    "Updated": "2018-08-02T08:23:42.073+02:00",
    "Description": " G1-9, Jurovci-Gruškovje, border crossing
Gruškovje, Macelj, latest delays info: cars 30 min at exit and 30 min at
entrance.",
    "Description_i18n": {
      "en_US": "G1-9, Jurovci-Gruškovje, border crossing
Gruškovje, Macelj, latest delays info: cars 30 min at exit and 30 min at
entrance.",
      "sl_SI": "G1-9, Jurovci-Gruškovje, mejni prehod
Gruškovje, Macelj, zadnji podatek o čakalnih dobah: osebna vozila 30 min pri
izstopu in 30 min pri vstopu."
    },
    "Road": "G1-9 Jurovci-Gruškovje",
    "InboundTruckDelaySeconds": null,
    "InboundTruckQueueMeters": null,
    "InboundBusDelaySeconds": null,
    "InboundBusQueueMeters": null,
    "InboundCarDelaySeconds": 1800,
    "InboundCarQueueMeters": null,
    "OutboundTruckDelaySeconds": null,
    "OutboundTruckQueueMeters": null,
    "OutboundBusDelaySeconds": null,
    "OutboundBusQueueMeters": null,
    "OutboundCarDelaySeconds": 1800,
    "OutboundCarQueueMeters": null
  }
}
]
}

```

## b2b.borderdelays.geojson

### Request:

```
GET /dc/b2b.borderdelays.geojson?language=en_US HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

### Server response:

```
{
  "type": "FeatureCollection",
  "crs": {
    "type": "name",
    "properties": {
      "name": "epsg:4326"
    }
  },
  "features": [
    {
      "type": "Feature",
      "geometry": {
        "type": "Point",
        "coordinates": [
          13.654318172014552,
          45.452516236517276
        ]
      },
      "properties": {
        "BorderCrossingId": "7ef7f1b2-e37c-4b1a-8b6b-e34c642118a6",
        "BorderCrossingName": "Dragonja, Kaštel",
        "BorderCrossingForeignName": null,
        "Updated": "2018-08-02T08:23:17.237+02:00",
        "Description": "G1-11, Koper-Dragonja, border crossing  
Dragonja, Kaštel, latest delays info: cars 20 min at entrance.",
        "Description_i18n": {
          "en_US": "G1-11, Koper-Dragonja, border crossing  
Dragonja, Kaštel, latest delays info: cars 20 min at entrance.",
          "sl_SI": "G1-11, Koper-Dragonja, mejni prehod Dragonja,  
Kaštel, zadnji podatek o čakalnih dobah: osebna vozila 20 min pri vstopu."
        },
        "Road": "G1-11 Koper-Dragonja",
        "InboundTruckDelaySeconds": null,
        "InboundTruckQueueMeters": null,
        "InboundBusDelaySeconds": null,
        "InboundBusQueueMeters": null,
        "InboundCarDelaySeconds": 1200,
        "InboundCarQueueMeters": null,
        "OutboundTruckDelaySeconds": null,
        "OutboundTruckQueueMeters": null,

```

```

        "OutboundBusDelaySeconds": null,
        "OutboundBusQueueMeters": null,
        "OutboundCarDelaySeconds": null,
        "OutboundCarQueueMeters": null
    }
},
{
    "type": "Feature",
    "geometry": {
        "type": "Point",
        "coordinates": [
            15.866359857353976,
            46.275248278305959
        ]
    },
    "properties": {
        "BorderCrossingId": "c5b5ee5d-d98e-4504-8478-6d2ff7246cda",
        "BorderCrossingName": "Gruškovje, Macelj",
        "BorderCrossingForeignName": null,
        "Updated": "2018-08-02T08:23:42.073+02:00",
        "Description": " G1-9, Jurovci-Gruškovje, border crossing
Gruškovje, Macelj, latest delays info: cars 30 min at exit and 30 min at
entrance.",
        "Description_i18n": {
            "en_US": "G1-9, Jurovci-Gruškovje, border crossing
Gruškovje, Macelj, latest delays info: cars 30 min at exit and 30 min at
entrance.",
            "sl_SI": "G1-9, Jurovci-Gruškovje, mejni prehod
Gruškovje, Macelj, zadnji podatek o čakalnih dobah: osebna vozila 30 min pri
izstopu in 30 min pri vstopu."
        },
        "Road": "G1-9 Jurovci-Gruškovje",
        "InboundTruckDelaySeconds": null,
        "InboundTruckQueueMeters": null,
        "InboundBusDelaySeconds": null,
        "InboundBusQueueMeters": null,
        "InboundCarDelaySeconds": 1800,
        "InboundCarQueueMeters": null,
        "OutboundTruckDelaySeconds": null,
        "OutboundTruckQueueMeters": null,
        "OutboundBusDelaySeconds": null,
        "OutboundBusQueueMeters": null,
        "OutboundCarDelaySeconds": 1800,
        "OutboundCarQueueMeters": null
    }
}
]
}

```

## b2b.tollroads.geojson.WGS84

### Request:

```
GET /dc/b2b.tollroads.shape.geojson.wgs84 HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

### Server response:

```
{
  "type": "FeatureCollection",
  "features": [
    {
      "type": "Feature",
      "geometry": {
        "type": "MultiLineString",
        "coordinates": [
          [
            [ 14.3987806076661,46.2412224171424 ],
            [ 14.3990954329247,46.2409501870442 ],
            [ 14.3992524105892,46.240824146447 ],
            ...
            [ 14.4378322169763,46.2193897324317 ]
          ]
        ]
      },
      "properties": {
        "id": 1,
        "road": "A2",
        "section": "0608",
        "category": "AC"
      }
    },
    ...
  ]
}
```

### **b2b.tollroads.shape.D48**

Request:

```
GET /dc/b2b.tollroads.shape.d48.zip HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

Server response:

ZIP shapefile

### **b2b.tollroads.shape.D96**

Request:

```
GET /dc/b2b.tollroads.shape.d96.zip HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

Server response:

ZIP shapefile

### **b2b.tollroads.shape.WGS84**

Request:

```
GET /dc/b2b.tollroads.shape.wgs84.zip HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

Server response:

ZIP shapefile

## b2b.truckparking.datexii

### Request:

```
GET /dc/b2b.truckparking.datexii HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw
```

### Server response:

```
<?xml version="1.0" encoding="utf-8"?>
<d2LogicalModel xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" modelBaseVersion="2"
xmlns="http://datex2.eu/schema/2/2_0">
  <exchange>
    <supplierIdentification>
      <country>si</country>
      <nationalIdentifier>DARS</nationalIdentifier>
    </supplierIdentification>
  </exchange>
  <payloadPublication xsi:type="GenericPublication" lang="sl">
    <publicationTime>2018-08-06T12:03:17.7032026Z</publicationTime>
    <publicationCreator>
      <country>si</country>
      <nationalIdentifier>DARS</nationalIdentifier>
    </publicationCreator>

    <genericPublicationName>ParkingTablePublication</genericPublicationName>
    <genericPublicationExtension>
      <parkingTablePublication>
        <headerInformation>
          <confidentiality>noRestriction</confidentiality>
          <informationStatus>real</informationStatus>
        </headerInformation>
        <parkingTable id="SI-DARS" version="2018-08-
06T12:03:17.7032026Z">
          <parkingTableVersionTime>2018-08-
06T12:03:17.7032026Z</parkingTableVersionTime>
          <parkingRecord xsi:type="InterUrbanParkingSite"
id="a6c87928-aa2e-4305-84ec-48aa6d11fb7a" version="2018-08-
06T12:03:17.7188263Z">
            <parkingName>
              <values>
                <value lang="sl">Dobrenje vzhod</value>
                <value lang="en">Dobrenje vzhod (Dobrenje
East)</value>
              </values>
            </parkingName>
            <parkingRecordVersionTime>2018-08-
06T12:03:17.7188263Z</parkingRecordVersionTime>
```

```

        <parkingNumberOfSpaces>25</parkingNumberOfSpaces>
        <operator xsi:type="ContactDetails" id="a6c87928-
aa2e-4305-84ec-48aa6d11fb7a" version="2018-08-06T12:03:17.7188263Z">
            <contactOrganisationName>
                <values>
                    <value lang="sl">DARS</value>
                    <value lang="en">DARS</value>
                </values>
            </contactOrganisationName>

<contactDetailsTelephoneNumber>+38615188350</contactDetailsTelephoneNumber>

<contactDetailsEMail>info@dars.si</contactDetailsEMail>
        <publishingAgreement>true</publishingAgreement>
    </operator>
    <parkingLocation xsi:type="Point">
        <alertCPoint xsi:type="AlertCMethod4Point">

<alertCLocationCountryCode>702</alertCLocationCountryCode>

<alertCLocationTableNumber>35</alertCLocationTableNumber>

<alertCLocationTableVersion>1.1</alertCLocationTableVersion>
        <alertCDirection>

<alertCDirectionCoded>negative</alertCDirectionCoded>
        </alertCDirection>
        <alertCMethod4PrimaryPointLocation>
            <alertCLocation>

<specificLocation>30007</specificLocation>
                </alertCLocation>
                <offsetDistance>
                    <offsetDistance>0</offsetDistance>
                </offsetDistance>
            </alertCMethod4PrimaryPointLocation>
        </alertCPoint>
        <pointAlongLinearElement>
            <linearElement
xsi:type="LinearElementByCode">
                <roadName>
                    <values>
                        <value lang="sl">A1</value>
                        <value lang="en">A1</value>
                    </values>
                </roadName>

<linearElementIdentifier>0631</linearElementIdentifier>
                </linearElement>
                <distanceAlongLinearElement
xsi:type="DistanceFromLinearElementStart">
                    <distanceAlong>8798</distanceAlong>
                </distanceAlongLinearElement>

```



```

        </pointAlongLinearElement>
        <pointByCoordinates>
            <pointCoordinates>
                <latitude>46.6069641</latitude>
                <longitude>15.6630774</longitude>
            </pointCoordinates>
        </pointByCoordinates>
    </parkingLocation>
    <parkingEquipmentOrServiceFacility
equipmentOrServiceFacilityIndex="0">
        <parkingEquipmentOrServiceFacility
xsi:type="Equipment">
            <availability>available</availability>
            <equipmentType>toilet</equipmentType>
        </parkingEquipmentOrServiceFacility>
    </parkingEquipmentOrServiceFacility>
    <parkingEquipmentOrServiceFacility
equipmentOrServiceFacilityIndex="1">
        <parkingEquipmentOrServiceFacility
xsi:type="Equipment">
            <availability>available</availability>
            <equipmentType>cashMachine</equipmentType>
        </parkingEquipmentOrServiceFacility>
    </parkingEquipmentOrServiceFacility>
    <parkingEquipmentOrServiceFacility
equipmentOrServiceFacilityIndex="2">
        <parkingEquipmentOrServiceFacility
xsi:type="Equipment">
            <availability>available</availability>
            <equipmentType>publicPhone</equipmentType>
        </parkingEquipmentOrServiceFacility>
    </parkingEquipmentOrServiceFacility>
    <parkingEquipmentOrServiceFacility
equipmentOrServiceFacilityIndex="3">
        <parkingEquipmentOrServiceFacility
xsi:type="Equipment">
            <availability>available</availability>
            <equipmentType>dumpingStation</equipmentType>
        </parkingEquipmentOrServiceFacility>
    </parkingEquipmentOrServiceFacility>
    <groupOfParkingSpaces groupIndex="0">
        <parkingSpaceBasics
xsi:type="GroupOfParkingSpaces">
            <assignedParkingAmongOthers>
                <vehicleCharacteristics>
                    <vehicleType>lorry</vehicleType>
                    <vehicleCharacteristicsExtension>
                        <vehicleCharacteristicsExtended>
                            <loadType2>refrigeratedGoods</loadType2>
                        </vehicleCharacteristicsExtended>
                    </vehicleCharacteristicsExtension>
                </vehicleCharacteristics>
            </assignedParkingAmongOthers>
        </parkingSpaceBasics>
    </groupOfParkingSpaces>

```

```

                </vehicleCharacteristicsExtension>
                </vehicleCharacteristics>
            </assignedParkingAmongOthers>

<parkingNumberOfSpaces>0</parkingNumberOfSpaces>

<parkingTypeOfGroup>statisticsOnly</parkingTypeOfGroup>
    </parkingSpaceBasics>
</groupOfParkingSpaces>
    <groupOfParkingSpaces groupIndex="1">
        <parkingSpaceBasics
xsi:type="GroupOfParkingSpaces">
            <assignedParkingAmongOthers>
                <vehicleCharacteristics>
                    <vehicleType>lorry</vehicleType>
                </vehicleCharacteristics>
            </assignedParkingAmongOthers>

<parkingNumberOfSpaces>25</parkingNumberOfSpaces>

<parkingTypeOfGroup>statisticsOnly</parkingTypeOfGroup>
    </parkingSpaceBasics>
</groupOfParkingSpaces>
    <parkingSiteAddress xsi:type="ContactDetails"
id="a6c87928-aa2e-4305-84ec-48aa6d11fb7a" version="2018-08-
06T12:03:17.7188263Z">
        <contactOrganisationName>
            <values>
                <value lang="sl">Dobrenje vzhod</value>
                <value lang="en">Dobrenje vzhod
(Dobrenje East)</value>
            </values>
        </contactOrganisationName>
        <contactDetailsAddress>
            <values>
                <value lang="sl">A1 - Dobrenje
vzhod</value>
                <value lang="en">A1 - Dobrenje vzhod
(Dobrenje East)</value>
            </values>
        </contactDetailsAddress>
        <country>si</country>
        <publishingAgreement>true</publishingAgreement>
    </parkingSiteAddress>
    <parkingAccess id="a6c87928-aa2e-4305-84ec-
48aa6d11fb7a_0">
        <accessCategory>vehicleEntrance</accessCategory>
        <primaryRoad>
            <roadIdentifier>
                <values>
                    <value lang="sl">A1</value>
                    <value lang="en">A1</value>
                </values>

```

```

        </roadIdentifier>
        <roadDestination>
            <values>
                <value lang="sl">Šentilj</value>
                <value lang="en">Šentilj</value>
            </values>
        </roadDestination>
    </primaryRoad>
    <location xsi:type="Point">
        <alertCPoint xsi:type="AlertCMethod4Point">
<alertCLocationCountryCode>702</alertCLocationCountryCode>
<alertCLocationTableNumber>35</alertCLocationTableNumber>
<alertCLocationTableVersion>1.1</alertCLocationTableVersion>
        <alertCDirection>
<alertCDirectionCoded>negative</alertCDirectionCoded>
            </alertCDirection>
            <alertCMethod4PrimaryPointLocation>
                <alertCLocation>
<specificLocation>30007</specificLocation>
                    </alertCLocation>
                    <offsetDistance>
<offsetDistance>0</offsetDistance>
                        </offsetDistance>
                    </alertCMethod4PrimaryPointLocation>
                </alertCPoint>
            <pointAlongLinearElement>
                <linearElement
xsi:type="LinearElementByCode">
                    <roadName>
                        <values>
                            <value lang="sl">A1</value>
                            <value lang="en">A1</value>
                        </values>
                    </roadName>
<linearElementIdentifier>0631</linearElementIdentifier>
                </linearElement>
                <distanceAlongLinearElement
xsi:type="DistanceFromLinearElementStart">
                    <distanceAlong>8798</distanceAlong>
                </distanceAlongLinearElement>
            </pointAlongLinearElement>
        <pointByCoordinates>
            <pointCoordinates>
                <latitude>46.6069641</latitude>
                <longitude>15.6630774</longitude>
            </pointCoordinates>

```

```

        </pointByCoordinates>
        </location>
    </parkingAccess>
    <parkingStandardsAndSecurity>
        <parkingSecurity>unknown</parkingSecurity>
    </parkingStandardsAndSecurity>
    <interUrbanParkingSiteLocation>
motorway</interUrbanParkingSiteLocation>
        </parkingRecord>
...
        </parkingTable>
    </parkingTablePublication>
</genericPublicationExtension>
</payloadPublication>
</d2LogicalModel>

```

## b2b.pocivalisca.geojson

Request:

```

GET /dc/b2b.pocivalisca.geojson HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

Server response:

```

{
  "type": "FeatureCollection",
  "crs": {
    "type": "name",
    "properties": {
      "name": "EPSG:4326"
    }
  },
  "features": [
    {
      "type": "Feature",
      "geometry": {

```

```

    "type": "Point",
    "coordinates": [
        15.663077231388476,
        46.606965370308394
    ]
},
"properties": {
    "EntityId": "a6c87928-aa2e-4305-84ec-48aa6d11fb7a",
    "Name": "Dobrenje vzhod",
    "Description": "OMV bencinski servis Dobrenje Vzhod leži ob avtocesti med Mariborom in mejnim prehodom Šentilj ter je odprt 24 ur na dan. Poleg točilnih mest visokokakovostnih OMV goriv strankam ponuja nakup prigrizkov ter pijač v priročni trgovini. Strankam so na voljo tudi storitve bankomata in javne telefonske govorilnice, ki prav tako obratujeta ves dan. Počivališče ima parkirne površine, kjer je poskrbljeno tudi za tiste, ki se na počivališču ustavijo s svojim avtomodom. Prav tako se lahko po dolgi poti odpočijejo na prostoru za počitek s klopmi. ",
    "LocationDescription": "Počivališče se nahaja na avtocesti A1 na odseku Šentilj - Maribor blizu meje z Avstrijo. Nanj lahko dostopate po avtocesti iz mariborske smeri, nekaj kilometrov pred mejnim prehodom Šentilj.",
    "GroupName": "Dobrenje",
    "Image":
    "https://www.promet.si/portal/res/images/pocivalisca/OMV/Dobrenje%20vzhod/Dobrenje%20MB-%C5%A0entilj%20vstop%201-v.JPG ",
    "WorkingHours": "0 - 24h",
    "Odsek": "0631",
    "Stacionaza": 8798.0,
    "X": 551163.0,
    "Y": 162767.0,
    "ParkingSpaces": 0,
    "TruckParkingSpaces": 25,
    "NameEN": "Dobrenje vzhod (Dobrenje East)",
    "DescriptionEN": "The Dobrenje Vzhod (Dobrenje East) OMV gas station, that is located on the motorway connecting Maribor and the Šentilj border crossing, operates 24/7. In addition to high-quality OMV fuel dispensers, customers can also purchase snacks and drinks in the convenient

```

shop. Customers can also avail of an ATM and a public telephone booth that are also available 24/7. The rest area also contains a parking area that also serves customers that stop at the rest area with their motorhomes and caravans. They can also rest after a long journey in the bench-containing resting area. ",

"LocationDescriptionEN": "The rest area is located on the A1 Motorway (Šentilj - Maribor section) close to the border with Austria. You can access it if you arrive from Maribor and can find it only a few kilometres before the Šentilj border crossing. ",

"GroupNameEN": null,

"WorkingHoursEN": null,

"HasParkirisce": true,

"HasBencinskiServis": true,

"HasAvtoplin": false,

"HasTrgovina": true,

"HasBar": false,

"HasRestavracija": false,

"HasStranisce": true,

"HasTelefon": true,

"HasOskrbaAvtodomov": true,

"HasOtroskaIgrala": false,

"HasProstorZaPocitek": true,

"HasRekreativnePovrsine": false,

"HasBankomat": true,

"HasTus": false,

"HasWiFi": false,

"OperatorName": "DARS",

"OperatorPhone": "+38615188350",

"OperatorEmail": "info@dars.si",

"InterUrbanParkingSiteLocation": "motorway",

"AlertCLCD": 30007,

"AlertCOffset": 0.0,

"AlertCDirection": "Negative",

```

        "OznakaCeste": "A1",
        "OznakaCesteEn": "A1",
        "RoadDestination": "Šentilj",
        "RoadDestinationEn": "Šentilj",
        "ParkingSecurity": "unknown",
        "RefrigeratedTruckParkingSpaces": null,
        "IsActive": true
    }
}
]
}

```

### b2b.pocivalisca.json

#### Request:

```

GET /dc/b2b.pocivalisca.json HTTP/1.1
Host: www.promet.si
Authorization: bearer eyJ0e...XXvw

```

#### Server response:

```

{
  "type": "FeatureCollection",
  "features": [
    {
      "type": "Feature",
      "properties": {
        "EntityId": "a6c87928-aa2e-4305-84ec-48aa6d11fb7a",
        "Name": "Dobrenje vzhod",
        "Description": "OMV bencinski servis Dobrenje Vzhod leži ob avtocesti med Mariborom in mejnim prehodom Šentilj ter je odprt 24 ur na dan. Poleg točilnih mest visokokakovostnih OMV goriv strankam ponuja nakup prigrizkov ter pijač v priročni trgovini. Strankam so na voljo tudi storitve bankomata in javne telefonske govorilnice, ki prav tako obratujeta ves dan.

```

Počivališče ima parkirne površine, kjer je poskrbljeno tudi za tiste, ki se na počivališču ustavijo s svojim avtomodom. Prav tako se lahko po dolgi poti odpočijejo na prostoru za počitek s klopmi. ",

"LocationDescription": "Počivališče se nahaja na avtocesti A1 na odseku Šentilj - Maribor blizu meje z Avstrijo. Nanj lahko dostopate po avtocesti iz mariborske smeri, nekaj kilometrov pred mejnim prehodom Šentilj.",

"GroupName": "Dobrenje",

"Image":

"https://www.promet.si/portal/res/images/pocivalisca/OMV/Dobrenje%20vzhod/Dobrenje%20MB-%C5%A0entilj%20vstop%201-v.JPG ",

"WorkingHours": "0 - 24h",

"Odsek": "0631",

"Stacionaza": 8798.0,

"X": 551163.0,

"Y": 162767.0,

"ParkingSpaces": 0,

"TruckParkingSpaces": 25,

"NameEN": "Dobrenje vzhod (Dobrenje East)",

"DescriptionEN": "The Dobrenje Vzhod (Dobrenje East) OMV gas station, that is located on the motorway connecting Maribor and the Šentilj border crossing, operates 24/7. In addition to high-quality OMV fuel dispensers, customers can also purchase snacks and drinks in the convenient shop. Customers can also avail of an ATM and a public telephone booth that are also available 24/7. The rest area also contains a parking area that also serves customers that stop at the rest area with their motorhomes and caravans. They can also rest after a long journey in the bench-containing resting area. ",

"LocationDescriptionEN": "The rest area is located on the A1 Motorway (Šentilj - Maribor section) close to the border with Austria. You can access it if you arrive from Maribor and can find it only a few kilometres before the Šentilj border crossing. ",

"GroupNameEN": null,

"WorkingHoursEN": null,

"HasParkirisce": true,

"HasBencinskiServis": true,

"HasAvtoplin": false,

"HasTrgovina": true,



```
"HasBar": false,
"HasRestavracija": false,
"HasStranisce": true,
"HasTelefon": true,
"HasOskrbaAvtodomov": true,
"HasOtroskaIgrala": false,
"HasProstorZaPocitek": true,
"HasRekreativnePovrsine": false,
"HasBankomat": true,
"HasTus": false,
"HasWiFi": false,
"OperatorName": "DARS",
"OperatorPhone": "+38615188350",
"OperatorEmail": "info@dars.si",
"InterUrbanParkingSiteLocation": "motorway",
"AlertCLCD": 30007,
"AlertCOffset": 0.0,
"AlertCDirection": "Negative",
"OznakaCeste": "A1",
"OznakaCesteEn": "A1",
"RoadDestination": "Šentilj",
"RoadDestinationEn": "Šentilj",
"ParkingSecurity": "unknown",
"RefrigeratedTruckParkingSpaces": null,
"IsActive": true
    }
  }
]
}
```